



SLINKOR

Link TO YOUR WORLD

STARLINK-COMPATIBLE ACCESSORIES

PRODUCT CATALOG 2026

Manufacturer · Wholesale Supplier · OEM/ODM Partner



Mobile: (+86) 130 3718 9099

(WhatsApp / WeChat)

E-mail: sales@slinkor.com

Website: www.slinkor.com

Location: Shenzhen, China

Scan to Contact Us



www.slinkor.com



CONTENTS

2026 PRODUCT CATALOG

01	Company Overview	03-04
02	Product Portfolio	05-16
03	Manufacturing Capabilities	17-20
04	Customization Services	21-24
05	Quality Assurance & Compliance	25-27
06	After-Sales Service & Contact	28-29



01

SECTION



COMPANY OVERVIEW

➤ Company Profile

Manufacturer, Wholesale Supplier
& OEM/ODM Partner

Shenzhen Slinkor Technology Co., Ltd.

Shenzhen Slinkor Technology Co., Ltd. is a specialized manufacturer and wholesale supplier of Starlink-compatible accessories. Based in Shenzhen, China, we provide practical connectivity solutions for distributors, retailers, installers, e-commerce sellers, and professional buyers worldwide.

Our product range covers accessories for Starlink Mini and Gen 3, including mounting solutions, power cables, chargers, adapters, Ethernet accessories, and travel cases. We continuously develop new products based on market demand, installation requirements, and real-world application scenarios such as RV travel, camping, marine use, off-grid living, and remote work.

With integrated product development, manufacturing, quality control, and supply-chain capabilities, SLINKOR supports OEM and ODM services, including custom branding, packaging, cable lengths, product specifications, and mounting designs. We are committed to providing reliable quality, competitive wholesale pricing, efficient delivery, and responsive after-sales support.

Our goal is to build long-term partnerships with global customers and help them expand their Starlink accessory product range with dependable products and flexible business solutions.

Link to your world



02

SECTION



PRODUCT PORTFOLIO

- Mounting Solutions
- Power & Charging Solutions
- Power Cables & Adapters
- Ethernet & Networking
- Travel & Protection
- Installation Accessories

Mounting Solutions



FOR STARLINK MINI

360° Adjustable Wall Mount

Wall · Eave · Wood · Concrete

SL-MT-MN-360



FOR STARLINK MINI

Dashboard & Windshield Mount

Dashboard · Windshield · Vehicle · RV

SL-MT-MN-DW



FOR STARLINK MINI

No-Drill Magnetic Roof Mount

4 Strong Magnets · 100 lbs Holding Force · No-Drill

SL-MT-MN-MAG4-ABS




FOR STARLINK MINI

4-Suction Cup Mount

4 Suction Cups · Adjustable Angle · Drill-Free

SL-MT-MN-SUC4-ABS

Fine Angle Adjustment



FOR STARLINK MINI

Adjustable Roof & Pole Mount

0–90° Tilt · 360° Rotation
Aluminum Alloy · Outdoor Installation

SL-MT-MN-ADJ360-AL



FOR STARLINK MINI

4-Magnet Aluminum Roof Mount

4 Magnets · 220 lbs Pull Force · Aluminum Alloy

SL-MT-MN-MAG4-AL

Mounting Solutions



FOR STARLINK MINI

Ladder & Railing Mount

20–30 mm Rail Fit · Aluminum Alloy · Quick Clamp

SL-MT-MN-LAD-AL



FOR STARLINK MINI

Pole Mount Adapter

Fits Poles up to 38 mm · Fixed Tilt · Reinforced PC

SL-MT-MN-PA38



FOR GEN 3

Adjustable Pivot Roof Mount

180° Tilt · 360° Rotation · Aluminum Alloy

SL-MT-G3-PRM-AL



FOR GEN 3

Aluminum Pole Mount Adapter

50 mm Pipe Opening · 3-Bolt Clamp · Aluminum Alloy

SL-MT-G3-PA50-AL



FOR GEN 3

Router & Power Supply Wall Mount

2-in-1 Holder · Impact-Resistant ABS · Wall Installation

SL-MT-G3-WM-ABS



FOR GEN 2 & HIGH PERFORMANCE

Adjustable Pivot Roof Mount

Adjustable Pivot · Fixed Installation · Shingled Roof Use

SL-MT-G2-HP-PRM

Power & Charging Solutions



FOR STARLINK MINI

99Wh Portable Power Bank

27,500 mAh · 99 Wh · DC Output · Digital Display

SL-PW-MN-PB99



FOR STARLINK MINI

60W AC Power Adapter

100–240V AC Input · 30V/2A Output

SL-PW-MN-AC60



FOR STARLINK MINI

3-in-1 Car Power Cable

Voltage Display · PD 20W · QC 18W · 18AWG · 3 m

SL-CB-MN-CAR3-3M



FOR STARLINK MINI

60W Replacement Charger

100–240V AC Input · 30V/2A Output

SL-PW-MN-WC60



FOR STARLINK MINI

2-in-1 Car Charger Step-Up Converter

12–24V Input · 60W DC Output · USB-C PD 27W

SL-PW-MN-STEP60



FOR STARLINK MINI

3-in-1 USB-C & Car Power Cable

Car · USB-C PD · DC Input · 12V/24V Step-Up 3 m / 5 m

SL-PW-MN-3IN1

Power & Charging Solutions



FOR STARLINK MINI

Car Charger to DC Female Adapter Cable

12–48V Input · 12V/3A
Output · 19AWG · Waterproof DC Female

SL-CB-MN-CAR-36W



FOR STARLINK MINI

100W DC-DC Converter Cable

12/24V Input · 100W Output · Dual USB-C · 5 m

SL-PW-MN-DCDC100

Power Cables & Adapters



FOR STARLINK MINI

2-in-1 Power & Ethernet Cable

Power + Ethernet · 1 Gbps · 18 AWG · 5 m

SL-CB-MN-2IN1-5M



FOR STARLINK MINI

USB-C PD to DC Power Cable

100W+ PD Input · 2/3/5 m Options · Water-Resistant

SL-CB-MN-PD100



FOR STARLINK MINI

Waterproof DC Extension Cable

23.5 cm · Male-to-Female · Up to 100W

SL-CB-MN-DCEXT-235




FOR STARLINK MINI

USB-C PD to DC5521 Power Cable

20V/5A PD Input · E-Marker · Waterproof DC5521 · 2–15 m

SL-CB-MN-PD




FOR STARLINK MINI

Waterproof DC Power Cable

18AWG · Waterproof Connectors · Multiple Lengths

SL-CB-MN-DC



FOR STARLINK MINI

USB-C PD to DC Power Adapter

65W+ PD Input · Stable 20V Output · Waterproof DC Female

SL-AD-MN-PD20V

Power Cables & Adapters



FOR STARLINK MINI

100W USB-C PD to DC Power Cable

20V/5A PD Input · 18AWG · Waterproof
DC Connector · 5 m

SL-CB-MN-PD100



FOR STARLINK MINI

Router USB-C to DC Power Cable Set

PD 9V · LED Indicator · 0.3 m + 2 m · 2-Pack

SL-CB-MN-RTR-PD9V



FOR STARLINK MINI

12/24V Car Power Cable

12/24V Input · 18AWG · IP67
Connector · 15A Fuse

SL-CB-MN-CAR-3M



FOR HIGH PERFORMANCE

Waterproof Power Cable

Waterproof Connectors · Plug-and-Play
10 m / 30 m / 46 m Options

SL-CB-HP-APS

Ethernet & Networking



FOR STARLINK MINI

PoE Ethernet to DC Power Cable

RJ45 to DC 5.5 × 2.1 mm · CAT5E
26AWG · T568B

SL-CB-MN-POE-DC



FOR GEN 3 & STARLINK MINI

4-Port Gigabit Ethernet Adapter

4 Gigabit Ports · Up to 1 Gbps · Plug-and-Play

SL-AD-G3MN-ETH4



FOR GEN 3 & STARLINK MINI

RJ45 Ethernet Adapter Cable

2-Pack · Cat5e FTP · Up to 1 Gbps · Waterproof

SL-AD-G3MN-RJ45



FOR GEN 3

Waterproof Ethernet Cable

Cat5e FTP · 1 Gbps · 24AWG · 10–46 m

SL-CB-G3-ETH-10M



FOR PERFORMANCE GEN 3

Waterproof SPX to RJ45 Adapter Cable

Up to 2 Gbps · 23AWG · IP68
Waterproof

SL-CB-G3P-SPX-RJ45



FOR PERFORMANCE GEN 3

Waterproof Ethernet Adapter Cable

RJ45 Female · 23AWG · Waterproof · No Cutting or Crimping

SL-CB-G3P-ETH-RJ45

Ethernet & Networking



FOR PERFORMANCE GEN 3

Waterproof Extension Cable

10 m · Cat6 · Up to 2 Gbps · 23AWG

SL-CB-G3P-EXT-10M



FOR GEN 2

Gigabit Ethernet Adapter

RJ45 Port · Up to 1 Gbps · Plug-and-Play

SL-AD-G2-ETH1G



FOR GEN 2

Ethernet Replacement Cable

Cat5e · 24AWG · 1.2 Gbps · RJ45 · T568B

SL-CB-G2-ETH-RJ45



FOR GEN 2

Waterproof Replacement Cable

24AWG · 1.2 Gbps · Weatherproof · 9–46 m

SL-CB-G2-REP




FOR GEN 2

Dual-Port Gigabit Ethernet Adapter

2 × RJ45 Ports · Up to 1 Gbps · IP65 · Plug-and-Play

SL-AD-G2-ETH2



FOR PERFORMANCE GEN 2

Router Replacement Cable

5 m · Up to 1.2 Gbps · Copper Conductors · Water-Resistant

SL-CB-G2HP-RTR-5M



FOR PERFORMANCE GEN 2

Waterproof Replacement Cable

23 m · 22AWG · Gigabit
Transmission · Plug-and-Play

SL-CB-PG2-REP-23M



FOR PERFORMANCE GEN 2

SPX to RJ45 Adapter Kit

2-Pack · Cat6 · IP67 · Up to 50 m

SL-AD-PG2-SPX-RJ45

Travel & Protection



FOR STARLINK MINI

Protective Hard Carrying Case

Injection-Molded Shell · Custom Foam · Pressure Valve

SL-CS-MN-HC



FOR STARLINK MINI

Shockproof Carry Bag

600D Oxford · EVA Padding · Multi-Pocket Storage

SL-BG-MN-CARRY



FOR GEN 3

Padded Travel Carrying Case

Multi-Pocket Storage · Padded Interior · Detachable Strap

SL-BG-G3-TC

Installation Accessories




UNIVERSAL ACCESSORY

Cable Routing Kit

2-Pack · 25 mm Wall Holes · ABS Material · Easy Installation

SL-IN-RTK-2PK



UNIVERSAL ACCESSORY

Cable Routing Clips

20-Pack · Screw-Mounted · Fits 3.8–6.3 mm Cables

SL-IN-CLIP-20PK



03

SECTION



MANUFACTURING CAPABILITIES

- Production Facilities
- Tooling & Mold
- Factory Highlights



Manufacturing Capabilities

Our production facility covers more than 5,000 m² and is supported by a skilled manufacturing team of over 100 employees.

An experienced R&D and engineering team provides product development, structural design, prototyping, and customization support.

Integrated production capabilities enable flexible OEM/ODM solutions, efficient lead times, and consistent quality control.



Tooling & Mold



Factory Highlights



Company Reception



Sample Room




SMT Production Line



AOI Inspection



DIP Workshop



Engineering & R&D Department



IQC Incoming Material Inspection




Wire Testing Station



04

SECTION



CUSTOMIZATION SERVICES

- OEM/ODM Product Development
- Customization Options
- Development Process



Tailored Starlink-compatible accessory solutions for distributors, retailers and brands—from concept development and prototyping to mass production.

10+ Years of Focus

One-stop R&D, design and manufacturing solutions for mounts, cables, chargers, adapters, power solutions and travel cases.



Custom Product Development

Tailored structures, materials, specifications and branding



Performance & Protection Design

Application-focused testing and reliable product protection

Customized for Different Products and Applications



Custom structures, dimensions, materials and finishes



Protection against overcurrent, overvoltage, overheating and short circuits



Custom connectors, cable lengths and power specifications



Solutions for Starlink Mini and Gen 3 applications



Development Process



01

Requirements Review



03

Design & Prototyping



05

Inspection & Delivery



02

Solution & Quotation



04

Mass Production



06

After-Sales Service &
Support





05



SECTION



QUALITY ASSURANCE & COMPLIANCE

- Testing & Inspection
- Certifications & Compliance

Testing & Inspection



With more than 20 dedicated testing and inspection devices, our quality team verifies electrical performance, functional stability, dimensional accuracy, connector reliability and visual quality throughout production.

Certifications & Compliance



SLINKOR ISO 9001



SLK-DS701-CE



SLK-DS701-RoHS



SLK-DS1604A-CE



SLK-PC148-CE



SLK-DS701-FCC



SLK-DS1604-FCC



SLK-PC148-FCC



SLK-PC148-UKCA

Reliable Support Beyond Delivery

At SLINKOR, our service continues after delivery. We provide responsive technical support, clear warranty handling and reliable follow-up for distributors and retailers worldwide.



**Stable Supply &
Reorder Support**



**12-Month Product
Warranty**



**Response Within
24 Hours**

Contact Us



Shenzhen Slinkor Technology Co., Ltd.



No. 19, Chajiaokan Area 3, Huarong Community, Dalang Subdistrict, Longhua District, Shenzhen, China



Mobile: (+86) 130 3718 9099
(WeChat / WhatsApp)



E-mail: sales@slinkor.com
Website: www.slinkor.com



Scan to Contact Us